AUTHOR INDEX

Adrian, K., see Settmacher, U., 159
Agneray, J., see Bories, P. N., 105
Åkerlund, B., see Lewin, N., 59
Åman, P., see Lewin, N., 59
Arata, Y., see Sato, T., 99

Bendtzen, K., see Sandler, S., 245
Berkessy, S., see Ujhelyi, E., 67
Bilej, M., Tuckova, L., Rejnek, J. and Vetvicka, V., In vitro antigen-binding properties of coelomocytes of *Eisenia foetida* (Annelida), 183
Blasczyk, R., Kuhn, U., Luboldt, W., Passarge, E., Fischer, W. M. and Grosse-Wilde, H., Further characterization of the EAI factor induced by alloimmunization for treatment of recurrent abortion, 115
Bokoch, G. M., see Weingarten, R., 1
Borg, L. A. H. and Eizirik, D. L., Short-term exposure of rat pancreatic islets to human interleukin-1β increases cellular uptake of calcium, 253
Bories, P. N., Kodari, E., Feger, J., Rouzeau, J.-D., Agneray, J. and Durand, G., A macrophage-derived factor induced by α1-acid glycoprotein that inhibits IL-1 comitogenic activity, 105
Briggs, J. D., see Sandilands, G. P., 153
Bujdosó, S., see Ujhelyi, E., 67
Butler, J. E., Satam, M. and Ekstrand, J., Fluoride: an adjuvant for mucosal and systemic immunity, 217

Carenfelt, C., see Lewin, N., 59
Chang, S.-C., Hu, C.-P., Perng, R.-P., Shiao, G.-M. and Lin, C.-Y., MHC class II antigens on canine bronchoalveolar cells, 11
Cheng, H.-M. and Sam, C.-K., Bacterial immunity and immunogenesis of normal human salivary IgA and serum IgG2 antiphospholipid autoantibody: a link?, 7
Claus, R., Werner, H., Schulze, H.-A., Walzel, H. and Friemel, H., Are soluble monocyte-derived HLA class II molecules candidates for immunosuppressive activity?, 203
Cohen, N., see Haynes, L., 227

Daimaru, O., see Suzuki, Y., 239
Degiannis, D., see Sandilands, G. P., 153
Dierich, M. P., see Fuchs, D., 75
Dunkley, M. L. and Husband, A. J., Routes of priming and challenge for IgA antibody-containing cell responses in the intestine, 165
Durand, G., see Bories, P. N., 105

Ehrenfeld, U., see Miesel, R., 31
Eizirik, D. L., see Borg, L. A. H., 253
Eizirik, D. L., see Sandler, S., 245
Ekstrand, J., see Butler, J. E., 217

Falk, W., see Mannel, D. N., 89
Feger, J., see Bories, P. N., 105
Fischer, W. M., see Blasczyk, R., 115
Fonlupt, P., see Valette, L., 233
Fraher, L. J., see McFadden, R. G., 211
Friemel, H., Wolf, V., Werner, H., Plantikow, A., Ulmer, A. J. and Musehold, J., The so-called interleukin-2 inhibitory activity of human serum is largely cytotoxic to mouse cells, 259
Friemel, H., see Claus, R., 203
Fuchs, D., Jäger, H., Popescu, M., Reibnegger, G., Werner, E. R., Dierich, M. P., Kaboth, W., Tilz, G. P. and Wachter, H., Immune activation markers to predict AIDS and survival in HIV-1 seropositives, 75
Fuchs, D., see Ujhelyi, E., 67
Füst, G., see Ujhelyi, E., 67

Gad, A. A., see Lal, R. B., 85
Greif, J., see Struhar, D., 197
Griaznove, Y. B., see Kabakov, A. E., 221
Grosse-Wilde, H., see Blasczyk, R., 115
Grosse-Wilde, H., see Petrányi, G., 113
Guo, Z., see Süsal, C., 121
Guo, Z.-G., see Terness, P., 139
Gustavsson, E., see Lewin, N., 59
Gyódi, É., see Horuzsko, A., 127
Gyódi, É., see Padányi, A., 131

Haas, R., see Miesel, R., 31
Habu, S., see Sato, T., 99
Harbeck, R. J., see Struhar, D., 197
Hartmann, H.-J., see Nagel, W., 291
Haun, M. and Wasi, S., An immunoassay for the determination of total IgA subclass antibodies in human serum, 37
Haynes, L., Moynihan, J. A. and Cohen, N., A monoclonal antibody against the human IL-2 receptor binds to paraformaldehyde-fixed but not viable frog (*Xenopus*) splenocytes, 227
Hedenborg, M., Sorsa, T., Lauhio, A. and Klockars, M., Asbestos fibers induce release of collagenase by human polymorphonuclear leukocytes, 25
Highet, J., see Sandilands, G. P., 153
Hollán, S. R., see Ujhelyi, E., 67

AUTHOR INDEX

Adrian, K., see Settmacher, U., 159
Agneray, J., see Bories, P. N., 105
Åkerlund, B., see Lewin, N., 59
Åman, P., see Lewin, N., 59
Arata, Y., see Sato, T., 99

Bendtzen, K., see Sandler, S., 245
Berkessy, S., see Ujhelyi, E., 67
Bilej, M., Tuckova, L., Rejnek, J. and Vetvicka, V., In vitro antigen-binding properties of coelomocytes of *Eisenia foetida* (Annelida), 183
Blasczyk, R., Kuhn, U., Luboldt, W., Passarge, E., Fischer, W. M. and Grosse-Wilde, H., Further characterization of the EAI factor induced by alloimmunization for treatment of recurrent abortion, 115
Bokoch, G. M., see Weingarten, R., 1
Borg, L. A. H. and Eizirik, D. L., Short-term exposure of rat pancreatic islets to human interleukin-1β increases cellular uptake of calcium, 253
Bories, P. N., Kodari, E., Feger, J., Rouzeau, J.-D., Agneray, J. and Durand, G., A macrophage-derived factor induced by α1-acid glycoprotein that inhibits IL-1 comitogenic activity, 105
Briggs, J. D., see Sandilands, G. P., 153
Bujdosó, S., see Ujhelyi, E., 67
Butler, J. E., Satam, M. and Ekstrand, J., Fluoride: an adjuvant for mucosal and systemic immunity, 217

Carenfelt, C., see Lewin, N., 59
Chang, S.-C., Hu, C.-P., Perng, R.-P., Shiao, G.-M. and Lin, C.-Y., MHC class II antigens on canine bronchoalveolar cells, 11
Cheng, H.-M. and Sam, C.-K., Bacterial immunity and immunogenesis of normal human salivary IgA and serum IgG2 antiphospholipid autoantibody: a link?, 7
Claus, R., Werner, H., Schulze, H.-A., Walzel, H. and Friemel, H., Are soluble monocyte-derived HLA class II molecules candidates for immunosuppressive activity?, 203
Cohen, N., see Haynes, L., 227

Daimaru, O., see Suzuki, Y., 239
Degiannis, D., see Sandilands, G. P., 153
Dierich, M. P., see Fuchs, D., 75
Dunkley, M. L. and Husband, A. J., Routes of priming and challenge for IgA antibody-containing cell responses in the intestine, 165
Durand, G., see Bories, P. N., 105

Ehrenfeld, U., see Miesel, R., 31
Eizirik, D. L., see Borg, L. A. H., 253
Eizirik, D. L., see Sandler, S., 245
Ekstrand, J., see Butler, J. E., 217

Falk, W., see Mannel, D. N., 89
Feger, J., see Bories, P. N., 105
Fischer, W. M., see Blasczyk, R., 115
Fonlupt, P., see Valette, L., 233
Fraher, L. J., see McFadden, R. G., 211
Friemel, H., Wolf, V., Werner, H., Plantikow, A., Ulmer, A. J. and Musehold, J., The so-called interleukin-2 inhibitory activity of human serum is largely cytotoxic to mouse cells, 259
Friemel, H., see Claus, R., 203
Fuchs, D., Jäger, H., Popescu, M., Reibnegger, G., Werner, E. R., Dierich, M. P., Kaboth, W., Tilz, G. P. and Wachter, H., Immune activation markers to predict AIDS and survival in HIV-1 seropositives, 75
Fuchs, D., see Ujhelyi, E., 67
Füst, G., see Ujhelyi, E., 67

Gad, A. A., see Lal, R. B., 85
Greif, J., see Struhar, D., 197
Griaznove, Y. B., see Kabakov, A. E., 221
Grosse-Wilde, H., see Blasczyk, R., 115
Grosse-Wilde, H., see Petrányi, G., 113
Guo, Z., see Süsal, C., 121
Guo, Z.-G., see Terness, P., 139
Gustavsson, E., see Lewin, N., 59
Gyódi, É., see Horuzsko, A., 127
Gyódi, É., see Padányi, A., 131

Haas, R., see Miesel, R., 31
Habu, S., see Sato, T., 99
Harbeck, R. J., see Struhar, D., 197
Hartmann, H.-J., see Nagel, W., 291
Haun, M. and Wasi, S., An immunoassay for the determination of total IgA subclass antibodies in human serum, 37
Haynes, L., Moynihan, J. A. and Cohen, N., A monoclonal antibody against the human IL-2 receptor binds to paraformaldehyde-fixed but not viable frog (*Xenopus*) splenocytes, 227
Hedenborg, M., Sorsa, T., Lauhio, A. and Klockars, M., Asbestos fibers induce release of collagenase by human polymorphonuclear leukocytes, 25
Highet, J., see Sandilands, G. P., 153
Hollán, S. R., see Ujhelyi, E., 67

Horuzsko, A., Gyódi, É., Réti, M., Onody, K., Perner, F., Kassai, M. and Petrányi, Gy. G., Non-cytotoxic blocking antibodies and suppressor cells induced by donor-specific transfusions in healthy volunteers and potential kidney transplant recipients, 127
Hu, C.-P., see Chang, S.-C., 11
Husband, A. J., see Dunkley, M. L., 165

Ide, H., see Kasama, T., 171
Imura, H., see Sugita, M., 265
Iwai, K., see Sugita, M., 265

Jahn, S., see Settmacher, U., 159
Junor, B. J. R., see Sandilands, G. P., 153
Jäger, H., see Fuchs, D., 75

Kabakov, A. E., Griaznove, Y. B., Saenko, V. A. and Poverenny, A. M., Polyanions inhibit binding of human autoantibodies to certain cellular proteins, 221
Kaboth, W., see Fuchs, D., 75
Kaga, S., see Kasama, T., 171
Kamada, N., see Sumimoto, R., 81
Kanemitsu, H., see Kasama, T., 171
Kasama, T., Kobayashi, K., Kanemitsu, H., Nakatani, K., Kaga, S., Yamagata, N., Negishi, M., Ide, H., Takahashi, T. and Niwa, Y., Involvement of interleukin-1-like factor(s) in type II collagen-induced arthritis in mice, 171
Kassai, M., see Horuzsko, A., 127
Kassai, M., see Padányi, A., 131
Klein, E., see Kuraya, M., 51
Klein, E., see Lewin, N., 59
Klein, G., see Lewin, N., 59
Klockars, M., see Hedenborg, M., 25
Kobayashi, K., see Kasama, T., 171
Kodari, E., see Bories, P. N., 105
Králl, G., see Ujhelyi, E., 67
Kuhn, U., see Blasczyk, R., 115
Kumagai, S., see Sugita, M., 265
Kumar Singh, R., see Sodhi, A., 45
Kuraya, M., Nilsson, B., Nilsson-Ekdahl, K. and Klein, E., C3d-mediated negative and positive signals on the proliferation of human B cells separated from blood, 51
Körner, S., see Miesel, R., 31

Lagarde, M., see Valette, L., 233
Lal, R. B., Ramzy, R. M. and Gad, A. A., Elevated levels of soluble CD8 molecule in patients with lymphatic filiaris, 85
Larisch-Bloch, S., Sterman, B. and Sulitzeanu, D., A high molecular weight cytotoxic lymphokine in supernatants of lymphokine-activated killer cells cross-reacts with transforming growth factor beta, 189
Lauhio, A., see Hedenborg, M., 25
Lejdeborn, L., see Lewin, N., 59
Lewin, N., Åman, P., Åkerlund, B., Gustavsson, E., Carenfelt, C., Lejdeborn, L., Klein, G. and Klein, E., Epstein-Barr virus-carrying B cells in the blood during acute infectious mononucleosis give rise to lymphoblastoid lines in vitro by release of transforming virus and by proliferation, 59
Lin, C.-Y., see Chang, S.-C., 11
Lloyd Jones, G., Spencer, L., Mollard, R. and Saul, A., Variable linking region immunogenicity using malarial peptide carrier protein conjugates of defined composition, 285
Luboldt, W., see Blasczyk, R., 115

MacSween, R. N. M., see Sandilands, G. P., 153
Macovschi, O., see Valette, L., 233
Maltsev, V. A., Oscillating and triggering properties of T cell membrane potential, 277
Mannel, D. N., Falk, W. and Yron, I., Inhibition of murine cytotoxic T cell responses by progesterone, 89
Matsushita, M., Curdlan, a (1→3)-β-D-glucan from *Alcaligenes faecalis* var. *myxogenes* IFO13140, activates the alternative complement pathway by heat treatment, 95
Mayer, K., see Padányi, A., 131
McFadden, R. G. and Fraher, L. J., Inhibitors of membrane transmethylation reactions prevent the lymphocyte chemokinetic response, 211
McIntyre, J. A., see Thaler, C. J., 145
McMillan, M. A., see Sandilands, G. P., 153
Metcalfe, S. and Milner, J., Phosphatases PP1 and PP2A act after the G_0/G_1 interface in lymphocyte activation, 177
Metlas, R., see Veljkovic, V., 193
Miesel, R., Körner, S., Haas, R., Spinnler, C., Ehrenfeld, U. and Weser, U., Phagocytic response modifying reactivity of enzymatic cell wall digests of *Nocardia opaca*, 31
Mihalik, R., see Ujhelyi, E., 67
Milner, J., see Metcalfe, S., 177
Mollard, R., see Lloyd Jones, G., 285
Moynihan, J. A., see Haynes, L., 227
Musehold, J., see Friemel, H., 259

Nagel, W., Hartmann, H.-J. and Weser, H., Monoclonal antibodies to monomeric rat liver metallothionein-I: the immunoreactivity of lysine residues in metallothionein, 291
Nakatani, K., see Kasama, T., 171
Negishi, M., see Kasama, T., 171
Neuhaus, K., see Settmacher, U., 159
Niculescu, F., Rus, H. G. and Vlaicu, R., Decay-accelerating factor regulates complement-mediated damage in the human atherosclerotic wall, 17
Nilsson, B., see Kuraya, M., 51
Nilsson-Ekdahl, K., see Kuraya, M., 51
Niwa, Y., see Kasama, Y., 171
Notake, K., see Suzuki, Y., 239

Okumura, K., see Sato, T., 99
Onody, K., see Horuzsko, A., 127
Opelz, G., see Süsal, C., 121
Opelz, G., see Terness, P., 139

Padányi, A., Gyódi, É., Sarmay, G., Réti, M., Mayer, K., Kassai, M. and Petrányi, Gy. G., Functional and immunogenetic characterization of FcR-blocking antibody, 131
Page Faulk, W., see Thaler, C. J., 145
Pai, K., see Sodhi, A., 45
Passarge, E., see Blasczyk, R., 115
Perner, F., see Horuzsko, A., 127
Perng, R.-P., see Chang, S.-C., 11
Petrányi, Gy. G. and Grosse-Wilde, H., Beneficial effect of transfusion in transplantation and protection of the foetus in pregnancy. Are the suppressive immunoregulatory mechanisms comparable?, 113
Petrányi, Gy. G., see Horuzsko, A., 127
Petrányi, Gy. G., see Padányi, A., 131
Pinchuk, G. V., Pinchuk, L. N., Tkachenko, Y. V. and Rudenko, A. E., Calcium channel ligand binding to intact, concanavalin A and cyclic AMP-treated cells of the immune system, 271
Pinchuk, L. N., see Pinchuk, G. V., 271
Plantikow, A., see Friemel, H., 259
Popescu, M., see Fuchs, D., 75
Poverenny, A. M., see Kabakov, A. E., 221
Prigent, A.-F., see Valette, L., 233
Pálóczi, K., see Ujhelyi, E., 67

Ramzy, R. M., see Lal, R. B., 85
Reibnegger, G., see Fuchs, D., 75
Rejnek, J., see Bilej, M., 183
Rouzeau, J.-D., see Bories, P. N., 105
Rudenko, A. E., see Pinchuk, G. V., 271
Rus, H. G., see Niculescu, F., 17
Réti, M., see Horuzsko, A., 127
Réti, M., see Padányi, A., 131

Saenko, V. A., see Kabakov, A. E., 221
Sam, C.-K., see Cheng, H.-M., 7
Sandilands, G. P., Highet, J., Degiannis, D., McMillan, M. A., Junor, B. J. R., Briggs, J. D. and MacSween, R. N. M., In vitro studies on lymphocyte Fcγ receptor blocking factors in human renal transplantation, 153
Sandler, S., Bendtzen, K., Eizirik, D. L., Strandell, E., Welsh, M. and Welsh, N., Metabolism and β-cell function of rat pancreatic islets exposed to human interleukin-1β in the presence of a high glucose concentration, 245
Sarmay, G., see Padányi, A., 131
Satam, M., see Butler, J. E., 217
Sato, T., Tamauchi, H., Yagita, H., Arata, Y., Okumura, K. and Habu, S., Dissociation of signal transduction via Thy-1 and CD3 antigens in murine T cells, 99
Saul, A., see Lloyd Jones, G., 285
Schiffl, R., see Terness, P., 139
Schulze, H.-A., see Claus, R., 203
Settmacher, U., Jahn, S., Siodla, V., Volk, H.-D., Neuhaus, K., Adrian, K. and Von Baehr, R., Polyclonal stimulation of human B lymphocytes derived from fetal liver and spleen cells at different stages of ontogeny, 159
Shiao, G.-M., see Chang, S.-C., 11
Siodla, V., see Settmacher, U., 159
Sodhi, A., Kumar Singh, R. and Pai, K., Activation of murine macrophages by tumor necrosis factor, interleukin-1, interferon-γ and cisplatin, 45
Sorachi, K., see Sugita, M., 265
Sorsa, T., see Hedenborg, M., 25
Spencer, L., see Lloyd Jones, G., 285
Spinnler, C., see Miesel, R., 31
Sterman, B., see Larisch-Bloch, S., 189
Strandell, E., see Sandler, S., 245
Struhar, D., Greif, J. and Harbeck, R. J., Class II antigens of the major histocaompatibility complex are increased in lungs of bleomycir -treated rats, 197
Sugita, M., Kumagai, S., Umehara, H., Iwai, K., Sorachi, K. and Imura, H., HLA-DQ-specific autoreactive T cell clone with helper and cytotoxic functions, 265
Sulitzeanu, D., see Larisch-Bloch, S., 189
Sumimoto, R. and Kamada, N., Evidence that soluble class I antigen in donor serum induces the suppression of heart allograft rejection in rats, 81
Suzuki, Y., Daimaru, O., Notake, K. and Yokochi, T., Production of interleukin-2 by YAC-1 cells stimulated with interleukin-1 and its augmentation of the natural killer activity, 239
Süsal, C., Guo, Z., Terness, P. and Opelz, G., Role of anti-IgG autoantibodies in kidney transplantation, 121
Süsal, C., see Terness, P., 139

Takahashi, T., see Kasama, T., 171
Tamauchi, H., see Sato, T., 99
Terness, P., Schiffl, R., Süsal, C., Guo, Z.-G. and Opelz, G., Long-lasting kidney graft survival after immunization with antibody-coated blood cells: mediation by immunosuppressive autoantibodies, 139
Terness, P., see Süsal, C., 121
Thaler, C. J., McIntyre, J. A. and Page Faulk, W., Fc receptor and trophoblast antigens in seminal plasma: a potential stimulus to prime mothers for implantation, 145
Tilz, G. P., see Fuchs, D., 75
Tkachenko, Y. V., see Pinchuk, G. V., 271
Tsitsikov, E. N., see Vasilov, R. G., 283
Tuckova, L., see Bilej, M., 183

Ujhelyi, E., Fuchs, D., Králl, G., Zimonyi, I., Berkessy, S., Bujdosó, S., Pálóczi, K., Mihalik, R., Füst, G., Wachter, H. and Hollán, S. R., Age dependency of the progression of HIV disease in haemophiliacs; predictive value of T cell subset and neopterin measurements, 67
Ulmer, A. J., see Friemal, H., 259
Umehara, H., see Sugita, M., 265

Valette, L., Fonlupt, P., Prigent, A.-F., Macovschi, O. and Lagarde, M., Early induction of ornithine decarboxylase occurs simultaneously with inositol phosphate accumulation in Concanavalin A-stimulated rat thymocytes, 233
Vasilov, R. G. and Tsitsikov, E. N., An ultrasensitive immunoassay for human IgE measurement in cell-culture supernatant, 283

Veljkovic, V. and Metlas, R., Sequence similarity between human immunodeficiency virus type 1 envelope protein (gp120) and human proteins: a new hypothesis on protective antibody production, 193
Vetvicka, V., see Bilej, M., 183
Vlaicu, R., see Niculescu, F., 17
Volk, H.-D., see Settmacher, U., 159
Von Baehr, R., see Settmacher, U., 159

Wachter, H., see Fuchs, D., 75
Wachter, H., see Ujhelyi, E., 67
Walzel, H., see Claus, R., 203
Wasi, S., see Haun, M., 37
Weingarten, R. and Bokoch, G. M., GTP binding proteins and signal transduction in the human neutrophil, (*Minireview*), 1
Welsh, M., see Sandler, S., 245
Welsh, N., see Sandler, S., 245
Werner, E. R., see Fuchs, D., 75
Werner, H., see Claus, R., 203
Werner, H., see Friemel, H., 259
Weser, H., see Nagel, W., 291
Weser, U., see Miesel, R., 31
Wolf, V., see Friemel, H., 259

Yagita, H., see Sato, T., 99
Yamagata, N., see Kasama, T., 171
Yokochi, T., see Suzuki, Y., 239
Yron, I., see Mannel, D. N., 89

Zimonyi, I., see Ujhelyi, E., 67

KEY WORD INDEX

α1-Acid glycoprotein
Interleukin-1; Macrophage; Thymocyte comitogenic assay (Bories, P. N., 105)

Activation
Neutrophil collagenase; Neutrophil elastase; Neutrophil cathepsin G; Asbestos fibres; Carboxymethyl cellulose (Hedenborg, M., 25)

Activation
Curdlan; Complement; Temperature (Matsushita, M., 95)

Adjuvant
Fluoride; Peyer's patches; Antibody; Proliferation (Butler, J. E., 217)

Age
AIDS; HIV: Haemophilia; T cell subset; Neopterin (Ujhelyi, E., 67)

AIDS
HIV; Haemophilia; Age; T cell subset; Neopterin (Ujhelyi, E., 67)

Alloimmunization
Recurrent spontaneous abortion; EA inhibition factor (Blaszczyk, R., 115)

Alveolar macrophage
Class II antigen; Bleomycin lung; Alveolar type II cell (Struhar, D., 197)

Alveolar type II cell
Class II antigen; Bleomycin lung; Alveolar macrophage (Struhar, D., 197)

Antibody
Fluoride; Adjuvant; Peyer's patches; Proliferation (Butler, J. E., 217)

Antibody
Peptide; Vaccine; Conjugation; Linker (Lloyd Jones, G., 285)

Antibody isotype
Kidney transplantation; Autoantibody (Süsal, C., 121)

Antigen-binding properties of coelomocytes
Eisenia foetida; Coelomocytes; Coelomic fluid (Bilej, M., 183)

Antiphospholipid autoantibody
Immunoglobulin A; Immunoglobulin G2; Bacterial immunity (Cheng, H. M., 7)

Asbestos fibres
Neutrophil collagenase; Activation; Neutrophil elastase; Neutrophil cathepsin G; Carboxymethyl cellulose (Hedenborg, M., 25)

Autoantibody
Kidney transplantation; Antibody isotype (Süsal, C., 121)

Autoantibody
Autoimmune disease; Polyanion; Electrostatic interaction (Kabakov, A. E., 221)

Autoimmune disease
Autoantibody; Polyanion; Electrostatic interaction (Kabakov, A. E., 221)

Autologous mixed lymphocyte reaction
HLA-DQ; Autoreactive T cell; Immunoregulation (Sugita, M., 265)

Autoreactive T cell
HLA-DQ; Autologous mixed lymphocyte reaction; Immunoregulation (Sugita, M., 265)

B cell growth
CR2; C3d (Kuraya, M., 51)

Bacterial immunity
Antiphospholipid autoantibody; Immunoglobulin A; Immunoglobulin G2 (Cheng, H. M., 7)

Bleomycin lung
Class II antigen; Alveolar macrophage; Alveolar type II cell (Struhar, D., 197)

Blocking antibody
Blood transfusion; Immunosuppression; Suppressor cell (Horuzsko, A., 127)

Blood transfusion
Immunosuppression; Blocking antibody; Suppressor cell (Horuzsko, A., 127)

Bronchoalveolar cell
MHC class II antigen; Peripheral blood mononuclear cell (Chang, S.-C., 11)

Calcium
Interleukin-1β; Pancreatic islets; Insulin release; Glucose metabolism; Protein biosynthesis (Håkan Borg, L. A., 253)

Calcium channel
Lymphocyte; Radioligand binding; T-cell activation; Lectin; Second messenger (Pinchuk, G. V., 271)

Carboxymethyl cellulose
Neutrophil collagenase; Activation; Neutrophil elastase; Neutrophil cathepsin G; Asbestos fibres (Hedenborg, M., 25)

CD3
Mouse; Thy-1; Phorbol myristate acetate; Interleukin-2 (Sato, T., 99)

CD4
Monocyte suppressor factor; Soluble MHC class II; Mitogen-induced T-cell activation (Claus, R., 203)

CD8
sCD8; sCD25; Filariasis (Lal, R. B., 85)

sCD25
CD8; sCD8; Filariasis (Lal, R. B., 85)

sCD8
CD8; sCD25; Filariasis (Lal, R. B., 85)

Cell wall digest
Nocardia opaca; Phagocytic response modifying reactivity (Miesel, R., 31)

Circulating immune complex
HIV; Neopterin; Soluble IL2 receptor; Tumour necrosis factor-α; Soluble CD8 (Fuchs, D., 75)
Cisplatin
Tumour necrosis factor; Interleukin-1; Interferon-γ; Macrophage (Sodhi, A., 45)
Class II antigen
Bleomycin lung; Alveolar macrophage; Alveolar type II cell (Struhar, D., 197)
Coelomic fluid
Eisenia foetida; Coelomocytes; Antigen-binding properties of coelomocytes (Bilej, M., 183)
Coelomocytes
Eisenia foetida; Coelomic fluid; Antigen-binding properties of coelomocytes (Bilej, M., 183)
Collagen-induced arthritis
Interleukin-1-like activity (Kasama, T., 171)
Complement
Curdlan; Activation; Temperature (Matsushita, M., 95)
Conjugation
Peptide; Vaccine; Linker; Antibody (Lloyd Jones, G., 285)
Continuous serum infusion
Soluble class I antigen; Heterotopic heart transplantation (Sumimoto, R., 81)
Decay-accelerating factor; Human atherosclerosis (Niculescu, F., 17)
CR2
C3d; B cell growth (Kuraya, M., 51)
Cross-reaction with TGF-β
Lymphokine-activated killer cells; Cytotoxic supernatant (Larisch-Bloch, S., 189)
Curdlan
Complement; Activation; Temperature (Matsushita, M., 95)
Cytotoxic T cell response
Progesterone; Inhibition in mice (Mannel, D. N., 89)
Cytotoxic supernatant
Lymphokine-activated killer cells; Cross-reaction with TGF-β (Larisch-Bloch, S., 189)
Cytotoxicity
Interleukin-2 inhibitor; Human serum (Friemel, H., 259)
C3d
CR2; B cell growth (Kuraya, M., 51)

Decay-accelerating factor
C5b-9 complement complex; Human atherosclerosis (Niculescu, F., 17)

EA inhibition factor
Recurrent spontaneous abortion; Alloimmunization (Blasczyk, R., 115)
Eisenia foetida
Coelomocytes; Coelomic fluid; Antigen-binding properties of coelomocytes (Bilej, M., 183)
Electrostatic interaction
Autoantibody; Autoimmune disease; Polyanion (Kabakov, A. E., 221)
ELISA
Monoclonal antibody; Metallothionein; Immunoblot (Nagel, W., 291)

Envelope protein gp120
Human immunodeficiency virus type 1; Sequence similarity with human proteins (Veljkovic, V., 193)
Epstein-Barr virus
Infectious mononucleosis (Lewin, N., 59)

Fc receptor
Priming; Trophoblast antigen; Seminal plasma (Thaler, C. J., 145)
FcR-blocking antibody
Immunization; Suppression; Kidney survival (Padányi, A., 131)
Fcγ-receptor
Renal transplantation; Serum blocking factor (Sandilands, G. P., 153)
Fetal lymphocyte
Immunoregulation; Polyclonal stimulation (Settmacher, U., 159)
Filariasis
CD8; sCD8; sCD25 (Lal, R. B., 85)
FK506
Immunosuppression; Okadaic acid; Phosphatase inhibition (Metcalfe, S., 177)
Fluoride
Adjuvant; Peyer's patches; Antibody; Proliferation (Butler, J. E., 217)

Glucose metabolism
Interleukin-1β; Calcium; Pancreatic islets; Insulin release; Protein biosynthesis (Håkan Borg, L. A., 253)
Glucose oxidation
Insulin release; Interleukin-1β; Pancreatic islets (Sandler, S., 245)

Haemophilia
AIDS; HIV; Age; T cell subset; Neopterin (Ujhelyi, E., 67)
Heterotopic heart transplantation
Soluble class I antigen; Continuous serum infusion (Sumimoto, R., 81)
HIV
AIDS; Haemophilia; Age; T cell subset; Neopterin (Ujhelyi, E., 67)
HIV
Neopterin; Soluble IL2 receptor; Tumour necrosis factor-α; Circulating immune complex; Soluble CD8 (Fuchs, D., 75)
HLA-DQ
Autoreactive T cell; Autologous mixed lymphocyte reaction; Immunoregulation (Sugita, M., 265)
Human IgE
Immunoassay; Sensitivity (Vasilov, R. G., 283)
Human atherosclerosis
Decay-accelerating factor; C5b-9 complement complex (Niculescu, F., 17)
Human immunodeficiency virus type 1
Envelope protein gp120; Sequence similarity with human proteins (Veljkovic, V., 193)
Human serum
Interleukin-2 inhibitor; Cytotoxicity (Friemel, H., 259)

IgA
Intestinal response; Mucosal priming; Peyer's patches (Dunkley, M. L., 165)
IL-2 receptor
Xenopus; Splenocyte (Haynes, L., 227)
Immunization
FcR-blocking antibody; Suppression; Kidney survival (Padányi, A., 131)
Immunization
Kidney graft survival; Immunosuppressive autoantibody (Terness, P., 139)
Immunoassay
Immunoglobulin A; Subclass (Haun, M., 37)
Immunoassay
Human IgE; Sensitivity (Vasilov, R. G., 283)
Immunoblot
Monoclonal antibody; Metallothionein; ELISA (Nagel, W., 291)
Immunoglobulin A
Antiphospholipid autoantibody; Immunoglobulin G2; Bacterial immunity (Cheng, H. M., 7)
Immunoglobulin G2
Antiphospholipid autoantibody; Immunoglobulin A; Bacterial immunity (Cheng, H. M., 7)
Immunoglobulin, A
Immunoassay; Subclass (Haun, M., 37)
Immunoregulation
Fetal lymphocyte; Polyclonal stimulation (Settmacher, U., 159)
Immunoregulation
HLA-DQ; Autoreactive T cell; Autologous mixed lymphocyte reaction (Sugita, M., 265)
Immunosuppression
Blood transfusion; Blocking antibody; Suppressor cell (Horuzsko, A., 127)
Immunosuppressive autoantibody
Kidney graft survival; Immunization (Terness, P., 139)
Immunosuppression
Okadaic acid; Phosphatase inhibition; FK506 (Metcalfe, S., 177)
Infectious mononucleosis
Epstein-Barr virus (Lewin, N., 59)
Inhibition in mice
Progesterone; Cytotoxic T cell response (Mannel, D. N., 89)
Inositol phosphate
Mitogenic stimulation; Thymocyte; Ornithine decarboxylase (Valette, L., 233)
Insulin release
Glucose oxidation; Interleukin-1β; Pancreatic islets (Sandler, S., 245)
Insulin release
Interleukin-1β; Calcium; Pancreatic islets; Glucose metabolism; Protein biosynthesis (Håkan Borg, L. A., 253)
Interferon-γ
Tumour necrosis factor; Interleukin-1; Cisplatin; Macrophage (Sodhi, A., 45)
Interleukin-1
Tumour necrosis factor; Cisplatin; Interferon-γ; Macrophage (Sodhi, A., 45)
Interleukin-2
Mouse; Thy-1; CD3; Phorbol myristate acetate (Sato, T., 99)
Interleukin-1
α1-Acid glycoprotein; Macrophage; Thymocyte comitogenic assay (Bories, P. N., 105)
Interleukin-1-like activity
Collagen-induced arthritis (Kasama, T., 171)
Interleukin-2
YAC-1 cell; Natural killer activity; Interleukin-1 (Suzuki, Y., 239)
Interleukin-1
YAC-1 cell; Interleukin-2; Natural killer activity (Suzuki, Y., 239)
Interleukin-1β
Glucose oxidation; Insulin release; Pancreatic islets (Sandler, S., 245)
Interleukin-1β
Calcium; Pancreatic islets; Insulin release; Glucose metabolism; Protein biosynthesis (Håkan Borg, L. A., 253)
Interleukin-2 inhibitor
Human serum; Cytotoxicity (Friemel, H., 259)
Intestinal response
IgA; Mucosal priming; Peyer's patches (Dunkley, M. L., 165)

K^+ channel
T cell; Membrane potential (Maltsev, V. A., 277)
Kidney graft survival
Immunization; Immunosuppressive autoantibody (Terness, P., 139)
Kidney survival
Immunization; FcR-blocking antibody; Suppression (Padányi, A., 131)
Kidney transplantation
Autoantibody; Antibody isotype (Süsal, C., 121)

Lectin
Calcium channel; Lymphocyte; Radioligand binding; T cell activation; Second messenger (Pinchuk, G. V., 271)
Linker
Peptide; Vaccine; Conjugation; Antibody (Lloyd Jones, G., 285)
Lymphocyte migration
Membrane transmethylation (McFadden, R. G., 211)
Lymphocyte
Calcium channel; Radioligand binding; T cell activation; Lectin; Second messenger (Pinchuk, G. V., 271)
Lymphokine-activated killer cells
Cytotoxic supernatant; Cross-reaction with TGF-β (Larisch-Bloch, S., 189)

Macrophage
Tumour necrosis factor; Interleukin-1; Cisplatin; Interferon-γ (Sodhi, A., 45)
Macrophage
Interleukin-1; α1-Acid glycoprotein; Thymocyte comitogenic assay (Bories, P. N., 105)
Membrane potential
T cell; K^+ channel (Maltsev, V. A., 277)

Membrane transmethylation
Lymphocyte migration (McFadden, R. G., 211)
Metallothionein
Monoclonal antibody; ELISA; Immunoblot (Nagel, W., 291)
MHC class II antigen
Bronchoalveolar cell; Peripheral blood mononuclear cell (Chang, S.-C., 11)
Mitogen-induced T-cell activation
Monocyte suppressor factor; Soluble MHC class II; CD4 (Claus, R., 203)
Mitogenic stimulation
Thymocyte; Ornithine decarboxylase; Inositol phosphate (Valette, L., 233)
Monoclonal antibody
Metallothionein; ELISA; Immunoblot (Nagel, W., 291)
Monocyte suppressor factor
Soluble MHC class II; CD4; Mitogen-induced T-cell activation (Claus, R., 203)
Mouse
Thy-1; CD3; Phorbol myristate acetate; Interleukin-2 (Sato, T., 99)
Mucosal priming
IgA; Intestinal response; Peyer's patches (Dunkley, M. L., 165)

Natural killer activity
YAC-1 cell; Interleukin-2; Interleukin-1 (Suzuki, Y., 239)
Neopterin
AIDS; HIV; Haemophilia; Age; T cell subset (Ujhelyi, E., 67)
Neopterin
HIV; Soluble IL2 receptor; Tumour necrosis factor α; Circulating immune complex; Soluble CD8 (Fuchs, D., 75)
Neutrophil collagenase
Activation; Neutrophil elastase; Neutrophil cathepsin G; Asbestos fibres; Carboxymethyl cellulose (Hedenborg, M., 25)
Neutrophil elastase
Neutrophil collagenase; Activation; Neutrophil cathepsin G; Asbestos fibres; Carboxymethyl cellulose (Hedenborg, M., 25)
Neutrophil cathepsin G
Neutrophil collagenase; Activation; Neutrophil elastase; Asbestos fibres; Carboxymethyl cellulose (Hedenborg, M., 25)
Nocardia opaca
Cell wall digest; Phagocytic response modifying reactivity (Miesel, R., 31)

Okadaic acid
Immunosuppression; Phosphatage inhibition; FK506 (Metcalfe, S., 177)
Ornithine decarboxylase
Mitogenic stimulation; Thymocyte; Inositol phosphate (Valette, L., 233)

Pancreatic islets
Glucose oxidation; Insulin release; Interleukin-1β (Sandler, S., 245)
Pancreatic islets
Interleukin-1β; Calcium; Insulin release; Glucose metabolism; Protein biosynthesis (Håkan Borg, L. A., 253)
Peptide
Vaccine; Conjugation; Linker; Antibody (Lloyd Jones, G., 285)
Peripheral blood mononuclear cell
MHC class II antigen; Bronchoalveolar cell (Change, S.-C., 11)
Peyer's patches
IgA; Intestinal response; Mucosal priming (Dunkley, M. L., 165)
Peyer's patches
Fluoride; Adjuvant; Antibody; Proliferation (Butler, J. E., 217)
Phagocytic response modifying reactivity
Nocardia opaca; Cell wall digest (Miesel, R., 31)
Phorbol myristate acetate
Mouse; Thy-1; CD3; Interleukin-2 (Sato, T., 99)
Phosphatase inhibition
Immunosuppression; Okadaic acid; FK506 (Metcalfe, S., 177)
Polyanion
Autoantibody; Autoimmune disease; Electrostatic interaction (Kabakov, A. E., 221)
Polyclonal stimulation
Fetal lymphocyte; Immunoregulation (Settmacher, U., 159)
Priming
Fc receptor; Trophoblast antigen; Seminal plasma (Thaler, C. J., 145)
Progesterone
Cytotoxic T cell response; Inhibition in mice (Mannel, D. N., 89)
Proliferation
Fluoride; Adjuvant; Peyer's patches; Antibody (Butler, J. E., 217)
Protein biosynthesis
Interleukin-1β; Calcium; Pancreatic islets; Insulin release; Glucose metabolism (Håkan Borg, L. A., 253)

Radioligand binding
Calcium channel; Lymphocyte; T cell activation; Lectin; Second messenger (Pinchuk, G. V., 271)
Recurrent spontaneous abortion
Alloimmunization; EA inhibition factor (Blasczyk, R., 115)
Renal transplantation
Fcγ-receptor; Serum blocking factor (Sandilands, G. P., 153)

Second messenger
Calcium channel; Lymphocyte; Radioligand binding; T cell activation; Lectin (Pinchuk, G. V., 271)
Seminal plasma
Priming; Fc receptor; Trophoblast antigen (Thaler, C. J., 145)
Sensitivity
Human IgE; Immunoassay (Vasilov, R. G., 283)
Sequence similarity with human proteins
Human immunodeficiency virus type 1; Envelope protein gp120 (Veljkovic, V., 193)
Serum blocking factor
Renal transplantation; Fcγ-receptor (Sandilands, G. P., 153)
Soluble CD8
HIV; Neopterin; Soluble IL2 receptor; Tumour necrosis factor-α; Circulating immune complex (Fuchs, D., 75)
Soluble IL2 receptor
HIV; Neopterin; Tumour necrosis factor-α; Circulating immune complex; Soluble CD8 (Fuchs, D., 75)

Soluble MHC class II
Monocyte suppressor factor; CD4; Mitogen-induced T-cell activation (Claus, R., 203)

Soluble class I antigen
Continuous serum infusion; Heterotopic heart transplantation (Sumimoto, R., 81)

Splenocyte
IL-2 receptor; *Xenopus* (Haynes, L., 227)

Subclass
Immunoassay; Immunoglobulin A (Haun, M., 37)

Suppression
Immunization; FcR-blocking antibody; Kidney survival (Padányi, A., 131)

Suppressor cell
Blood transfusion; Immunosuppression; Blocking antibody (Horuzsko, A., 127)

T cell
Membrane potential; K^+ channel (Maltsev, V. A., 277)

T cell subset
AIDS; HIV; Haemophilia; Age; Neopterin (Ujhelyi, E., 67)

T cell activation
Calcium channel; Lymphocyte; Radioligand binding; Lectin; Second messenger (Pinchuk, G. V., 271)

Temperature
Curdlan; Complement; Activation (Matsushita, M., 95)

Thy-1
Mouse; CD3; Phorbol myristate acetate; Interleukin-2 (Sato, T., 99)

Thymocyte comitogenic assay
Interleukin-1; αl-Acid glycoprotein; Macrophage (Bories, P. N., 105)

Thymocyte
Mitogenic stimulation; Ornithine decarboxylase; Inositol phosphate (Valette, L., 233)

Trophoblast antigen
Priming; Fc receptor; Seminal plasma (Thaler, C. J., 145)

Tumour necrosis factor
Interleukin-1; Cisplatin; Interferon-γ; Macrophage (Sodhi, A., 45)

Tumour necrosis factor-α
HIV; Neopterin; Soluble IL2 receptor; Circulating immune complex; Soluble CD8 (Fuchs, D., 75)

Vaccine
Peptide; Conjugation; Linker; Antibody (Lloyd Jones, G., 285)

Xenopus
IL-2 receptor; Splenocyte (Haynes, L., 277)

YAC-1 cell
Interleukin-2; Natural killer activity; Interleukin-1 (Suzuki, Y., 239)